

**D19S433**

	<b>Europe</b>				
<b>Population</b>	<b>Austria (pooled)</b>	Austria (Southeast)	Austria (Vienna)	<b>Belgium</b>	<b>Germany (pooled)</b>
<b>Ref.</b>		(44)	(35)	(4)	
<b>n</b>	709	100	609	100	391
<b>Alleles</b>					
<b>7</b>	<b>0.0000</b>	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>9</b>	<b>0.0009</b>	0.0000	0.0010	<b>0.0000</b>	<b>0.0030</b>
<b>9.2</b>	<b>0.0000</b>	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>10</b>	<b>0.0017</b>	0.0000	0.0020	<b>0.0000</b>	<b>0.0000</b>
<b>10.2</b>	<b>0.0000</b>	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>11</b>	<b>0.0024</b>	0.0050	0.0020	<b>0.0000</b>	<b>0.0219</b>
<b>11.2</b>	<b>0.0000</b>	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>12</b>	<b>0.0811</b>	0.1000	0.0780	<b>0.0950</b>	<b>0.0851</b>
<b>12.1</b>	<b>0.0000</b>	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>12.2</b>	<b>0.0000</b>	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>13</b>	<b>0.2349</b>	0.2100	0.2390	<b>0.2100</b>	<b>0.2432</b>
<b>13.2</b>	<b>0.0230</b>	0.0350	0.0210	<b>0.0200</b>	<b>0.0078</b>
<b>13.3</b>	<b>0.0000</b>	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>14</b>	<b>0.3615</b>	0.3400	0.3650	<b>0.3750</b>	<b>0.3291</b>
<b>14.2</b>	<b>0.0240</b>	0.0300	0.0230	<b>0.0150</b>	<b>0.0378</b>
<b>15</b>	<b>0.1568</b>	0.1800	0.1530	<b>0.1500</b>	<b>0.1603</b>
<b>15.2</b>	<b>0.0391</b>	0.0400	0.0390	<b>0.0350</b>	<b>0.0332</b>
<b>16</b>	<b>0.0474</b>	0.0500	0.0470	<b>0.0600</b>	<b>0.0455</b>
<b>16.2</b>	<b>0.0170</b>	0.0050	0.0190	<b>0.0300</b>	<b>0.0176</b>
<b>17</b>	<b>0.0041</b>	0.0050	0.0040	<b>0.0000</b>	<b>0.0030</b>
<b>17.2</b>	<b>0.0034</b>	0.0000	0.0040	<b>0.0100</b>	<b>0.0042</b>
<b>18</b>	<b>0.0000</b>	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>18.2</b>	<b>0.0026</b>	0.0000	0.0030	<b>0.0000</b>	<b>0.0065</b>
<b>19.2</b>	<b>0.0000</b>	0.0000	0.0000	<b>0.0000</b>	<b>0.0013</b>
<b>20</b>	<b>0.0000</b>	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
$\Sigma$	<i>0.9999</i>	<i>1.0000</i>	<i>1.0000</i>	<i>1.0000</i>	<i>0.9995</i>

	<b>Europe</b>				
<b>Population</b>	Germany (Central)	Germany (Düsseldorf)	<b>Italy (pooled)</b>	Italy	Italy (North, Brescia)
<b>Ref.</b>	(44)	(1)		(13)	(2)
<b>n</b>	231	160	711	214	72
<b>Alleles</b>					
<b>7</b>	0.0000	0.0000	<b>0.0000</b>	0.0000	0.0000
<b>9</b>	0.0050	0.0000	<b>0.0000</b>	0.0000	0.0000
<b>9.2</b>	0.0000	0.0000	<b>0.0000</b>	0.0000	0.0000
<b>10</b>	0.0000	0.0000	<b>0.0000</b>	0.0000	0.0000
<b>10.2</b>	0.0000	0.0000	<b>0.0000</b>	0.0000	0.0000
<b>11</b>	0.0350	0.0031	<b>0.0102</b>	0.0120	0.0000
<b>11.2</b>	0.0000	0.0000	<b>0.0000</b>	0.0000	0.0000
<b>12</b>	0.0900	0.0781	<b>0.1017</b>	0.1140	0.0455
<b>12.1</b>	0.0000	0.0000	<b>0.0000</b>	0.0000	0.0000
<b>12.2</b>	0.0000	0.0000	<b>0.0036</b>	0.0020	0.0000
<b>13</b>	0.2450	0.2406	<b>0.2593</b>	0.2410	0.1818
<b>13.2</b>	0.0110	0.0031	<b>0.0179</b>	0.0070	0.0000
<b>13.3</b>	0.0000	0.0000	<b>0.0000</b>	0.0000	0.0000
<b>14</b>	0.2930	0.3813	<b>0.3103</b>	0.3060	0.4090
<b>14.2</b>	0.0380	0.0375	<b>0.0511</b>	0.0470	0.0455
<b>15</b>	0.1630	0.1563	<b>0.1341</b>	0.1240	0.1818
<b>15.2</b>	0.0410	0.0219	<b>0.0430</b>	0.0870	0.0000
<b>16</b>	0.0380	0.0563	<b>0.0439</b>	0.0300	0.0455
<b>16.2</b>	0.0190	0.0156	<b>0.0207</b>	0.0160	0.0909
<b>17</b>	0.0050	0.0000	<b>0.0021</b>	0.0070	0.0000
<b>17.2</b>	0.0050	0.0031	<b>0.0021</b>	0.0070	0.0000
<b>18</b>	0.0000	0.0000	<b>0.0000</b>	0.0000	0.0000
<b>18.2</b>	0.0110	0.0000	<b>0.0000</b>	0.0000	0.0000
<b>19.2</b>	0.0000	0.0031	<b>0.0000</b>	0.0000	0.0000
<b>20</b>	0.0000	0.0000	<b>0.0000</b>	0.0000	0.0000
$\Sigma$	<i>0.9990</i>	<i>1.0000</i>	<i>1.0000</i>	<i>1.0000</i>	<i>1.0000</i>

	<b>Europe</b>				
<b>Population</b>	Italy (North, Brescia)	Italy (Catanzaro)	Italy (Cosenza)	Italy (Reggio Calabria)	Italy (Sicily, Alia)
<b>Ref.</b>	(32)	(5)	(5)	(5)	(21)
<b>n</b>	75	100	100	100	50
<b>Alleles</b>					
<b>7</b>	0.0000	0.0000	0.0000	0.0000	0.0000
<b>9</b>	0.0000	0.0000	0.0000	0.0000	0.0000
<b>9.2</b>	0.0000	0.0000	0.0000	0.0000	0.0000
<b>10</b>	0.0000	0.0000	0.0000	0.0000	0.0000
<b>10.2</b>	0.0000	0.0000	0.0000	0.0000	0.0000
<b>11</b>	0.0000	0.0100	0.0000	0.0320	0.0100
<b>11.2</b>	0.0000	0.0000	0.0000	0.0000	0.0000
<b>12</b>	0.0800	0.0920	0.1150	0.1490	0.0610
<b>12.1</b>	0.0000	0.0000	0.0000	0.0000	0.0000
<b>12.2</b>	0.0000	0.0000	0.0000	0.0210	0.0000
<b>13</b>	0.3467	0.2720	0.3200	0.2020	0.2860
<b>13.2</b>	0.0133	0.0200	0.0450	0.0320	0.0100
<b>13.3</b>	0.0000	0.0000	0.0000	0.0000	0.0000
<b>14</b>	0.3200	0.3220	0.2600	0.2660	0.3373
<b>14.2</b>	0.0267	0.0200	0.0850	0.1050	0.0000
<b>15</b>	0.0867	0.1920	0.1550	0.0740	0.1430
<b>15.2</b>	0.0400	0.0100	0.0000	0.0540	0.0510
<b>16</b>	0.0800	0.0620	0.0200	0.0430	0.0610
<b>16.2</b>	0.0067	0.0000	0.0000	0.0220	0.0410
<b>17</b>	0.0000	0.0000	0.0000	0.0000	0.0000
<b>17.2</b>	0.0000	0.0000	0.0000	0.0000	0.0000
<b>18</b>	0.0000	0.0000	0.0000	0.0000	0.0000
<b>18.2</b>	0.0000	0.0000	0.0000	0.0000	0.0000
<b>19.2</b>	0.0000	0.0000	0.0000	0.0000	0.0000
<b>20</b>	0.0000	0.0000	0.0000	0.0000	0.0000
<b><math>\Sigma</math></b>	<i>1.0001</i>	<i>1.0000</i>	<i>1.0000</i>	<i>1.0000</i>	<i>1.0003</i>

	<b>Europe</b>				
<b>Population</b>	<b>Poland (pooled)</b>	Poland (Central)	Poland (Central)	Poland (Central)	Poland (North)
<b>Ref.</b>		(17)	(19)	(34, 38)	(23, 30)
<b>n</b>	2688	500	222	207	145
<b>Alleles</b>					
<b>7</b>	<b>0.0000</b>	0.0000	0.0000	0.0000	0.0000
<b>9</b>	<b>0.0000</b>	0.0000	0.0000	0.0000	0.0000
<b>9.2</b>	<b>0.0000</b>	0.0000	0.0000	0.0000	0.0000
<b>10</b>	<b>0.0000</b>	0.0000	0.0000	0.0000	0.0000
<b>10.2</b>	<b>0.0000</b>	0.0000	0.0000	0.0000	0.0000
<b>11</b>	<b>0.0047</b>	0.0040	0.0022	0.0024	0.0000
<b>11.2</b>	<b>0.0000</b>	0.0000	0.0000	0.0000	0.0000
<b>12</b>	<b>0.0866</b>	0.0780	0.0946	0.0845	0.0720
<b>12.1</b>	<b>0.0000</b>	0.0000	0.0000	0.0000	0.0000
<b>12.2</b>	<b>0.0016</b>	0.0020	0.0045	0.0000	0.0070
<b>13</b>	<b>0.2057</b>	0.2140	0.2320	0.2150	0.1930
<b>13.2</b>	<b>0.0170</b>	0.0150	0.0113	0.0242	0.0140
<b>13.3</b>	<b>0.0000</b>	0.0000	0.0000	0.0000	0.0000
<b>14</b>	<b>0.3455</b>	0.3190	0.3333	0.3382	0.3790
<b>14.2</b>	<b>0.0229</b>	0.0210	0.0225	0.0242	0.0380
<b>15</b>	<b>0.1810</b>	0.2030	0.1622	0.1691	0.1760
<b>15.2</b>	<b>0.0438</b>	0.0470	0.0495	0.0411	0.0340
<b>16</b>	<b>0.0514</b>	0.0520	0.0698	0.0604	0.0340
<b>16.2</b>	<b>0.0237</b>	0.0280	0.0135	0.0338	0.0240
<b>17</b>	<b>0.0021</b>	0.0010	0.0000	0.0000	0.0070
<b>17.2</b>	<b>0.0079</b>	0.0070	0.0000	0.0048	0.0100
<b>18</b>	<b>0.0014</b>	0.0000	0.0022	0.0000	0.0030
<b>18.2</b>	<b>0.0043</b>	0.0080	0.0022	0.0024	0.0070
<b>19.2</b>	<b>0.0000</b>	0.0000	0.0000	0.0000	0.0000
<b>20</b>	<b>0.0000</b>	0.0000	0.0000	0.0000	0.0000
$\Sigma$	<i>0.9996</i>	<i>0.9990</i>	<i>0.9998</i>	<i>1.0001</i>	<i>0.9980</i>

	<b>Europe</b>				
<b>Population</b>	Poland (North and central)	Poland (Northeast, Podlasie region)	Poland (Pomerania- Kujawy)	<b>Poland</b> (North-East, religious minority of Old Believers)	<b>Poland</b> (North-East, Tatars, Podlasie area)
<b>Ref.</b>	(53)	(40)	(12)	(18)	(39)
<b>n</b>	412	413	789	136	120
<b>Alleles</b>					
<b>7</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>9</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>9.2</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>10</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>10.2</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>11</b>	0.0020	0.0140	0.0040	<b>0.0000</b>	<b>0.0000</b>
<b>11.2</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>12</b>	0.0960	0.0810	0.0910	<b>0.1000</b>	<b>0.0580</b>
<b>12.1</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>12.2</b>	0.0000	0.0030	0.0000	<b>0.0000</b>	<b>0.0040</b>
<b>13</b>	0.1980	0.1960	0.2020	<b>0.2000</b>	<b>0.2990</b>
<b>13.2</b>	0.0130	0.0280	0.0150	<b>0.0290</b>	<b>0.0450</b>
<b>13.3</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>14</b>	0.3740	0.2990	0.3710	<b>0.4210</b>	<b>0.3570</b>
<b>14.2</b>	0.0220	0.0220	0.0220	<b>0.0290</b>	<b>0.0540</b>
<b>15</b>	0.1700	0.1930	0.1760	<b>0.1360</b>	<b>0.0760</b>
<b>15.2</b>	0.0320	0.0700	0.0350	<b>0.0430</b>	<b>0.0220</b>
<b>16</b>	0.0530	0.0530	0.0450	<b>0.0210</b>	<b>0.0490</b>
<b>16.2</b>	0.0240	0.0220	0.0220	<b>0.0070</b>	<b>0.0360</b>
<b>17</b>	0.0020	0.0060	0.0010	<b>0.0070</b>	<b>0.0000</b>
<b>17.2</b>	0.0070	0.0110	0.0100	<b>0.0000</b>	<b>0.0000</b>
<b>18</b>	0.0010	0.0020	0.0020	<b>0.0000</b>	<b>0.0000</b>
<b>18.2</b>	0.0060	0.0000	0.0040	<b>0.0070</b>	<b>0.0000</b>
<b>19.2</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>20</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
$\Sigma$	<i>1.0000</i>	<i>1.0000</i>	<i>1.0000</i>	<i>1.0000</i>	<i>1.0000</i>

	<b>Europe</b>				
<b>Population</b>	<b>Romania</b> (Bucharest area)	<b>Serbia and</b> <b>Montenegro</b> (Albanians from Kosovo, Prishtina, Vitia and Gjakova area)	<b>Serbia and</b> <b>Montenegro</b> (Vojvodina province, Novi Sad, Serbs, autochthonous)	<b>Slovenia</b>	<b>Spain</b> <b>(pooled)</b>
<b>Ref.</b>	(24, 29)	(16)	(20)	(54)	
<b>n</b>	104	136	100	321	304
<b>Alleles</b>					
<b>7</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	0.0000
<b>9</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	0.0000
<b>9.2</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	0.0000
<b>10</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	0.0018
<b>10.2</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	0.0000
<b>11</b>	<b>0.0140</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0016</b>	0.0018
<b>11.2</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	0.0000
<b>12</b>	<b>0.1150</b>	<b>0.0960</b>	<b>0.1000</b>	<b>0.0888</b>	0.1017
<b>12.1</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	0.0000
<b>12.2</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0016</b>	0.0016
<b>13</b>	<b>0.1970</b>	<b>0.2350</b>	<b>0.2150</b>	<b>0.2508</b>	0.2749
<b>13.2</b>	<b>0.0190</b>	<b>0.0220</b>	<b>0.0200</b>	<b>0.0125</b>	0.0147
<b>13.3</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	0.0000
<b>14</b>	<b>0.3170</b>	<b>0.3270</b>	<b>0.3550</b>	<b>0.3458</b>	0.3342
<b>14.2</b>	<b>0.0290</b>	<b>0.0770</b>	<b>0.0400</b>	<b>0.0234</b>	0.0249
<b>15</b>	<b>0.1200</b>	<b>0.0810</b>	<b>0.1150</b>	<b>0.1464</b>	0.1314
<b>15.2</b>	<b>0.0580</b>	<b>0.0330</b>	<b>0.0500</b>	<b>0.0530</b>	0.0491
<b>16</b>	<b>0.0630</b>	<b>0.0960</b>	<b>0.0700</b>	<b>0.0467</b>	0.0365
<b>16.2</b>	<b>0.0530</b>	<b>0.0290</b>	<b>0.0300</b>	<b>0.0249</b>	0.0215
<b>17</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0031</b>	0.0034
<b>17.2</b>	<b>0.0050</b>	<b>0.0040</b>	<b>0.0050</b>	<b>0.0016</b>	0.0000
<b>18</b>	<b>0.0050</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	0.0000
<b>18.2</b>	<b>0.0050</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	0.0030
<b>19.2</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	0.0000
<b>20</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	0.0000
$\Sigma$	<i>1.0000</i>	<i>1.0000</i>	<i>1.0000</i>	<i>1.0002</i>	<i>1.0005</i>

	<b>Europe</b>				
<b>Population</b>	Spain (Central- West, Extremadura)	Spain (Northeast)	<b>Switzerland</b>	<b>Turkey (pooled)</b>	Turkey (East, area of Mersin, Adana, Osmaniye, Hatay, Kahraman Maras)
<b>Ref.</b>	(3)	(51)	(6)		(9)
<b>n</b>	121	183	206	554	107
<b>Alleles</b>					
<b>7</b>	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>	0.0000
<b>9</b>	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>	0.0000
<b>9.2</b>	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>	0.0000
<b>10</b>	0.0000	0.0030	<b>0.0000</b>	<b>0.0000</b>	0.0000
<b>10.2</b>	0.0000	0.0000	<b>0.0000</b>	<b>0.0019</b>	0.0050
<b>11</b>	0.0000	0.0030	<b>0.0000</b>	<b>0.0063</b>	0.0090
<b>11.2</b>	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>	0.0000
<b>12</b>	0.1074	0.0980	<b>0.1010</b>	<b>0.0974</b>	0.0750
<b>12.1</b>	0.0000	0.0000	<b>0.0050</b>	<b>0.0000</b>	0.0000
<b>12.2</b>	0.0041	0.0000	<b>0.0000</b>	<b>0.0036</b>	0.0000
<b>13</b>	0.2975	0.2600	<b>0.2220</b>	<b>0.2309</b>	0.2570
<b>13.2</b>	0.0083	0.0190	<b>0.0120</b>	<b>0.0160</b>	0.0230
<b>13.3</b>	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>	0.0000
<b>14</b>	0.3223	0.3420	<b>0.3500</b>	<b>0.3142</b>	0.3040
<b>14.2</b>	0.0248	0.0250	<b>0.0170</b>	<b>0.0289</b>	0.0230
<b>15</b>	0.1198	0.1390	<b>0.1750</b>	<b>0.1237</b>	0.1260
<b>15.2</b>	0.0537	0.0460	<b>0.0370</b>	<b>0.0786</b>	0.0700
<b>16</b>	0.0372	0.0360	<b>0.0560</b>	<b>0.0531</b>	0.0560
<b>16.2</b>	0.0207	0.0220	<b>0.0250</b>	<b>0.0281</b>	0.0330
<b>17</b>	0.0041	0.0030	<b>0.0000</b>	<b>0.0100</b>	0.0140
<b>17.2</b>	0.0000	0.0000	<b>0.0000</b>	<b>0.0074</b>	0.0050
<b>18</b>	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>	0.0000
<b>18.2</b>	0.0000	0.0050	<b>0.0000</b>	<b>0.0000</b>	0.0000
<b>19.2</b>	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>	0.0000
<b>20</b>	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>	0.0000
$\Sigma$	<i>0.9999</i>	<i>1.0010</i>	<i>1.0000</i>	<i>1.0001</i>	<i>1.0000</i>

	Europe			America, Central	
<b>Population</b>	Turkey (West, area of Antalya, Isparta, Burdur)	Turkey (Aegean area)	Turkey (Marmara region without Istanbul)	<b>Mexico</b> (Amerindians, Otomi) <b>(pooled)</b>	Mexico (Amerindians, Otomi, Village of Tenango de Doria and San Bartolo Tutopec Eastern Sierra Madre Oriental, Hidalgo State)
<b>Ref.</b>	(9)	(45)	(50)		(7)
<b>n</b>	108	166	173	174	91
<b>Alleles</b>					
<b>7</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	0.0000
<b>9</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	0.0000
<b>9.2</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	0.0000
<b>10</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	0.0000
<b>10.2</b>	0.0050	0.0000	0.0000	<b>0.0000</b>	0.0000
<b>11</b>	0.0000	0.0090	0.0060	<b>0.0000</b>	0.0000
<b>11.2</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	0.0000
<b>12</b>	0.1440	0.1050	0.0750	<b>0.0198</b>	0.0160
<b>12.1</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	0.0000
<b>12.2</b>	0.0000	0.0090	0.0030	<b>0.0647</b>	0.0480
<b>13</b>	0.1990	0.2380	0.2280	<b>0.1723</b>	0.2100
<b>13.2</b>	0.0090	0.0150	0.0170	<b>0.1553</b>	0.1610
<b>13.3</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	0.0000
<b>14</b>	0.2920	0.3250	0.3240	<b>0.1977</b>	0.1610
<b>14.2</b>	0.0370	0.0210	0.0350	<b>0.0707</b>	0.0650
<b>15</b>	0.1160	0.1270	0.1240	<b>0.0964</b>	0.0320
<b>15.2</b>	0.0650	0.0810	0.0900	<b>0.1241</b>	0.1770
<b>16</b>	0.0690	0.0420	0.0520	<b>0.0624</b>	0.0810
<b>16.2</b>	0.0280	0.0240	0.0290	<b>0.0366</b>	0.0480
<b>17</b>	0.0230	0.0000	0.0090	<b>0.0000</b>	0.0000
<b>17.2</b>	0.0140	0.0030	0.0090	<b>0.0000</b>	0.0000
<b>18</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	0.0000
<b>18.2</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	0.0000
<b>19.2</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	0.0000



<b>20</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	0.0000
$\Sigma$	<i>1.0010</i>	<i>0.9990</i>	<i>1.0010</i>	<i>1.0000</i>	<i>0.9990</i>

	<b>America, Central</b>			<b>America, South</b>	
<b>Population</b>	Mexico (Amerindians, Otomi, El Cardonal, Ixmiquilpan valley, Hidalgo State)	Mexico (Amerindians, Huasteco of Xochiatipan, Yahualica, Atlapexco and Huetjutla, La Huasteco area, Central Eastern Sierra Madre, Hidalgo State)	Mexico (Central, States of Mexico, Morelos, Queretaro, Puebla, Distrito Federal)	<b>Brazil (Bahia)</b>	<b>Brazil (Rio de Janeiro)</b>
<b>Ref.</b>	(7)	(7)	(52)	(33)	(36)
<b>n</b>	83	135	211	150	239
<b>Alleles</b>					
<b>7</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>9</b>	0.0000	0.0000	0.0024	<b>0.0030</b>	<b>0.0020</b>
<b>9.2</b>	0.0000	0.0000	0.0095	<b>0.0000</b>	<b>0.0000</b>
<b>10</b>	0.0000	0.0040	0.0024	<b>0.0000</b>	<b>0.0060</b>
<b>10.2</b>	0.0000	0.0000	0.0024	<b>0.0000</b>	<b>0.0000</b>
<b>11</b>	0.0000	0.0120	0.0071	<b>0.0170</b>	<b>0.0270</b>
<b>11.2</b>	0.0000	0.0080	0.0240	<b>0.0000</b>	<b>0.0000</b>
<b>12</b>	0.0240	0.0230	0.0758	<b>0.0900</b>	<b>0.0670</b>
<b>12.1</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>12.2</b>	0.0830	0.0230	0.0308	<b>0.0130</b>	<b>0.0120</b>
<b>13</b>	0.1310	0.0920	0.1564	<b>0.3040</b>	<b>0.2340</b>
<b>13.2</b>	0.1490	0.1850	0.0877	<b>0.0370</b>	<b>0.0350</b>
<b>13.3</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>14</b>	0.2380	0.2810	0.2346	<b>0.2400</b>	<b>0.2860</b>
<b>14.2</b>	0.0770	0.0460	0.0545	<b>0.0330</b>	<b>0.0520</b>
<b>15</b>	0.1670	0.0920	0.1588	<b>0.1300</b>	<b>0.1500</b>
<b>15.2</b>	0.0660	0.1810	0.0806	<b>0.0700</b>	<b>0.0500</b>
<b>16</b>	0.0420	0.0230	0.0664	<b>0.0470</b>	<b>0.0460</b>
<b>16.2</b>	0.0240	0.0150	0.0237	<b>0.0130</b>	<b>0.0290</b>
<b>17</b>	0.0000	0.0080	0.0024	<b>0.0000</b>	<b>0.0000</b>

<b>17.2</b>	0.0000	0.0080	0.0000	<b>0.0030</b>	<b>0.0000</b>
<b>18</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>18.2</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>19.2</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
<b>20</b>	0.0000	0.0000	0.0000	<b>0.0000</b>	<b>0.0000</b>
$\Sigma$	<i>1.0010</i>	<i>1.0010</i>		<i>1.0000</i>	<i>0.9960</i>

	<b>America, South</b>	<b>Asia, Near East</b>	<b>Asia, Far East</b>		
<b>Population</b>	<b>Venezuela (Caracas city)</b>	<b>Israel (Jews)</b>	<b>China (Han) (pooled)</b>	China (Han, Jilin province)	China (Han, South, region of Shantou)
<b>Ref.</b>	(11)	(15)		(27)	(8)
<b>n</b>	255	163	535	200	132
<b>Alleles</b>					
<b>7</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	0.0000	0.0000
<b>9</b>	<b>0.0020</b>	<b>0.0000</b>	<b>0.0000</b>	0.0000	0.0000
<b>9.2</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	0.0000	0.0000
<b>10</b>	<b>0.0020</b>	<b>0.0000</b>	<b>0.0028</b>	0.0000	0.0000
<b>10.2</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	0.0000	0.0000
<b>11</b>	<b>0.0157</b>	<b>0.0092</b>	<b>0.0028</b>	0.0050	0.0000
<b>11.2</b>	<b>0.0020</b>	<b>0.0000</b>	<b>0.0009</b>	0.0000	0.0000
<b>12</b>	<b>0.0941</b>	<b>0.0951</b>	<b>0.0403</b>	0.0380	0.0490
<b>12.1</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	0.0000	0.0000
<b>12.2</b>	<b>0.0196</b>	<b>0.0000</b>	<b>0.0069</b>	0.0030	0.0080
<b>13</b>	<b>0.2413</b>	<b>0.2301</b>	<b>0.2628</b>	0.2830	0.2840
<b>13.2</b>	<b>0.0510</b>	<b>0.0337</b>	<b>0.0421</b>	0.0500	0.0230
<b>13.3</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	0.0000	0.0000
<b>14</b>	<b>0.2941</b>	<b>0.2699</b>	<b>0.2349</b>	0.2230	0.2200
<b>14.2</b>	<b>0.0353</b>	<b>0.0491</b>	<b>0.1243</b>	0.1250	0.1250
<b>15</b>	<b>0.1431</b>	<b>0.1472</b>	<b>0.0793</b>	0.0850	0.0830
<b>15.2</b>	<b>0.0392</b>	<b>0.0736</b>	<b>0.1450</b>	0.1280	0.1550
<b>16</b>	<b>0.0412</b>	<b>0.0552</b>	<b>0.0158</b>	0.0250	0.0110
<b>16.2</b>	<b>0.0118</b>	<b>0.0215</b>	<b>0.0395</b>	0.0330	0.0380
<b>17</b>	<b>0.0039</b>	<b>0.0061</b>	<b>0.0011</b>	0.0030	0.0000
<b>17.2</b>	<b>0.0020</b>	<b>0.0061</b>	<b>0.0019</b>	0.0000	0.0040
<b>18</b>	<b>0.0020</b>	<b>0.0000</b>	<b>0.0000</b>	0.0000	0.0000

<b>18.2</b>	<b>0.0000</b>	<b>0.0031</b>	<b>0.0000</b>	0.0000	0.0000
<b>19.2</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	0.0000	0.0000
<b>20</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0011</b>	0.0030	0.0000
$\Sigma$	<i>1.0003</i>	<i>0.9999</i>	<i>1.0015</i>	<i>1.0040</i>	<i>1.0000</i>

### Asia, Far East

<b>Population</b>	China (Han, North West, Shaanxi province)	China (South, Shantou)	China (Hong Kong)	China (Luoba, Tibet, South, Hamalayi mountain area)	<b>East Timor</b>
<b>Ref.</b>	(26)	(28)	(47)	(49)	(31)
<b>n</b>	203	132	325	93	107
<b>Alleles</b>					
<b>7</b>	0.0000	0.0000	0.0000	0.0000	<b>0.0000</b>
<b>9</b>	0.0000	0.0000	0.0020	0.0000	<b>0.0000</b>
<b>9.2</b>	0.0000	0.0000	0.0000	0.0000	<b>0.0000</b>
<b>10</b>	0.0074	0.0000	0.0000	0.0108	<b>0.0000</b>
<b>10.2</b>	0.0000	0.0000	0.0000	0.0054	<b>0.0000</b>
<b>11</b>	0.0025	0.0000	0.0050	0.0000	<b>0.0000</b>
<b>11.2</b>	0.0025	0.0000	0.0000	0.0000	<b>0.0000</b>
<b>12</b>	0.0369	0.0490	0.0400	0.0269	<b>0.0470</b>
<b>12.1</b>	0.0000	0.0000	0.0000	0.0000	<b>0.0000</b>
<b>12.2</b>	0.0099	0.0080	0.0060	0.0323	<b>0.0000</b>
<b>13</b>	0.2291	0.2840	0.3030	0.2634	<b>0.3080</b>
<b>13.2</b>	0.0468	0.0230	0.0230	0.0376	<b>0.0230</b>
<b>13.3</b>	0.0000	0.0000	0.0000	0.0000	<b>0.0000</b>
<b>14</b>	0.2562	0.2200	0.2620	0.2419	<b>0.2430</b>
<b>14.2</b>	0.1232	0.1250	0.1110	0.1129	<b>0.0750</b>
<b>15</b>	0.0714	0.0830	0.0420	0.0484	<b>0.0560</b>
<b>15.2</b>	0.1552	0.1550	0.1690	0.1882	<b>0.1820</b>
<b>16</b>	0.0099	0.0110	0.0110	0.0000	<b>0.0330</b>
<b>16.2</b>	0.0468	0.0380	0.0230	0.0215	<b>0.0280</b>
<b>17</b>	0.0000	0.0000	0.0050	0.0000	<b>0.0050</b>
<b>17.2</b>	0.0025	0.0040	0.0000	0.0000	<b>0.0000</b>
<b>18</b>	0.0000	0.0000	0.0000	0.0000	<b>0.0000</b>
<b>18.2</b>	0.0000	0.0000	0.0000	0.0000	<b>0.0000</b>
<b>19.2</b>	0.0000	0.0000	0.0000	0.0000	<b>0.0000</b>

<b>20</b>	0.0000	0.0000	0.0000	0.0000	<b>0.0000</b>
$\Sigma$	1.0003	1.0000	1.0000	0.9893	1.0000

	<b>Asia, Far East</b>				<b>Africa</b>
<b>Population</b>	<b>Korea</b>	<b>Philippines</b> (Capital region, Luzon, Visayas, Mindano)	<b>Taiwan</b>	<b>Thailand</b>	<b>Angola</b> (Cabinda)
<b>Ref.</b>	(14)	(41)	(37)	(48)	(42)
<b>n</b>	231	106	556	210	110
<b>Alleles</b>					
<b>7</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
<b>9</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0170</b>	<b>0.0046</b>
<b>9.2</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
<b>10</b>	<b>0.0000</b>	<b>0.0050</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0318</b>
<b>10.2</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0010</b>	<b>0.0000</b>	<b>0.0000</b>
<b>11</b>	<b>0.0020</b>	<b>0.0000</b>	<b>0.0050</b>	<b>0.0000</b>	<b>0.0818</b>
<b>11.2</b>	<b>0.0020</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
<b>12</b>	<b>0.0280</b>	<b>0.0380</b>	<b>0.0230</b>	<b>0.0360</b>	<b>0.0818</b>
<b>12.1</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
<b>12.2</b>	<b>0.0040</b>	<b>0.0050</b>	<b>0.0100</b>	<b>0.0020</b>	<b>0.0364</b>
<b>13</b>	<b>0.3270</b>	<b>0.3070</b>	<b>0.3170</b>	<b>0.2810</b>	<b>0.2500</b>
<b>13.2</b>	<b>0.0260</b>	<b>0.0280</b>	<b>0.0350</b>	<b>0.0360</b>	<b>0.0636</b>
<b>13.3</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
<b>14</b>	<b>0.2680</b>	<b>0.1230</b>	<b>0.2250</b>	<b>0.2170</b>	<b>0.1727</b>
<b>14.2</b>	<b>0.1020</b>	<b>0.0850</b>	<b>0.1220</b>	<b>0.0930</b>	<b>0.0773</b>
<b>15</b>	<b>0.0540</b>	<b>0.0900</b>	<b>0.0670</b>	<b>0.0980</b>	<b>0.0909</b>
<b>15.2</b>	<b>0.1520</b>	<b>0.2740</b>	<b>0.1440</b>	<b>0.1740</b>	<b>0.0727</b>
<b>16</b>	<b>0.0000</b>	<b>0.0140</b>	<b>0.0100</b>	<b>0.0140</b>	<b>0.0046</b>
<b>16.2</b>	<b>0.0320</b>	<b>0.0330</b>	<b>0.0360</b>	<b>0.0310</b>	<b>0.0318</b>
<b>17</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
<b>17.2</b>	<b>0.0020</b>	<b>0.0000</b>	<b>0.0040</b>	<b>0.0020</b>	<b>0.0000</b>
<b>18</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0010</b>	<b>0.0000</b>	<b>0.0000</b>
<b>18.2</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
<b>19.2</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
<b>20</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
$\Sigma$	0.9990	1.0020	1.0000	1.0010	1.0000

	<b>Africa</b>				
<b>Population</b>	<b>Equatorial Guinea</b> (Fang, Bioko island, Bight of Biafra)	<b>Equatorial Guinea</b> (living in Madrid)	<b>Gabon</b> (Black Africans)	<b>Guinea-Bissau</b>	<b>Mozambique</b> (Maputo)
<b>Ref.</b>	(10)	(46)	(22)	(55)	(43)
<b>n</b>	129	134	108	92	142
<b>Alleles</b>					
<b>7</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0040</b>
<b>9</b>	<b>0.0240</b>	<b>0.0070</b>	<b>0.0090</b>	<b>0.0000</b>	<b>0.0000</b>
<b>9.2</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
<b>10</b>	<b>0.0000</b>	<b>0.0070</b>	<b>0.0370</b>	<b>0.0054</b>	<b>0.0070</b>
<b>10.2</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
<b>11</b>	<b>0.0840</b>	<b>0.0670</b>	<b>0.1160</b>	<b>0.0380</b>	<b>0.0320</b>
<b>11.2</b>	<b>0.0040</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0054</b>	<b>0.0000</b>
<b>12</b>	<b>0.0880</b>	<b>0.1380</b>	<b>0.0880</b>	<b>0.1359</b>	<b>0.1730</b>
<b>12.1</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
<b>12.2</b>	<b>0.0440</b>	<b>0.0370</b>	<b>0.0550</b>	<b>0.0380</b>	<b>0.0350</b>
<b>13</b>	<b>0.2520</b>	<b>0.2650</b>	<b>0.2410</b>	<b>0.2663</b>	<b>0.3240</b>
<b>13.2</b>	<b>0.0840</b>	<b>0.0370</b>	<b>0.0880</b>	<b>0.0815</b>	<b>0.0280</b>
<b>13.3</b>	<b>0.0000</b>	<b>0.0040</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
<b>14</b>	<b>0.1960</b>	<b>0.1910</b>	<b>0.1660</b>	<b>0.2065</b>	<b>0.2290</b>
<b>14.2</b>	<b>0.0400</b>	<b>0.0750</b>	<b>0.0650</b>	<b>0.0652</b>	<b>0.0880</b>
<b>15</b>	<b>0.0480</b>	<b>0.0820</b>	<b>0.0280</b>	<b>0.0326</b>	<b>0.0490</b>
<b>15.2</b>	<b>0.0640</b>	<b>0.0490</b>	<b>0.0690</b>	<b>0.0870</b>	<b>0.0280</b>
<b>16</b>	<b>0.0080</b>	<b>0.0070</b>	<b>0.0050</b>	<b>0.0109</b>	<b>0.0000</b>
<b>16.2</b>	<b>0.0600</b>	<b>0.0340</b>	<b>0.0280</b>	<b>0.0217</b>	<b>0.0040</b>
<b>17</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
<b>17.2</b>	<b>0.0040</b>	<b>0.0000</b>	<b>0.0050</b>	<b>0.0054</b>	<b>0.0000</b>
<b>18</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
<b>18.2</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
<b>19.2</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
<b>20</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
$\Sigma$	<i>1.0000</i>	<i>1.0000</i>	<i>1.0000</i>	<i>0.9998</i>	<i>1.0010</i>

	<b>Africa</b>
<b>Population</b>	<b>Rwanda (Central, Tutsi)</b>
<b>Ref.</b>	<b>(25)</b>
<b>n</b>	<b>62</b>
<b>Alleles</b>	
<b>7</b>	<b>0.0000</b>
<b>9</b>	<b>0.0000</b>
<b>9.2</b>	<b>0.0000</b>
<b>10</b>	<b>0.0161</b>
<b>10.2</b>	<b>0.0000</b>
<b>11</b>	<b>0.0807</b>
<b>11.2</b>	<b>0.0000</b>
<b>12</b>	<b>0.1290</b>
<b>12.1</b>	<b>0.0000</b>
<b>12.2</b>	<b>0.0323</b>
<b>13</b>	<b>0.2339</b>
<b>13.2</b>	<b>0.0403</b>
<b>13.3</b>	<b>0.0000</b>
<b>14</b>	<b>0.2661</b>
<b>14.2</b>	<b>0.0403</b>
<b>15</b>	<b>0.0887</b>
<b>15.2</b>	<b>0.0403</b>
<b>16</b>	<b>0.0242</b>
<b>16.2</b>	<b>0.0081</b>
<b>17</b>	<b>0.0000</b>
<b>17.2</b>	<b>0.0000</b>
<b>18</b>	<b>0.0000</b>
<b>18.2</b>	<b>0.0000</b>
<b>19.2</b>	<b>0.0000</b>
<b>20</b>	<b>0.0000</b>
$\Sigma$	<i>1.0000</i>

## References

- (1) **Huckenbeck, W., Arent, T., Scheil, H. -G.** (2005) Unpublished data
- (2) **Cerri, N., Franchi, M., Mascardi, S., De Ferrari, F.** (2003) Allele frequency distribution of 13 STR's in an Italian and immigrant sample. *Progress Forensic Genet.* 9 / *Int. Congress Ser.* 1239: 137-143
- (3) **Garcia-Hirschfeld, J., Farfan, M.J., Prieto, V., Lopez-Soto, M., Torres, Y., Sanz, P.** (2003) Allele distribution of 15 STRs in a population from Extremadura (Central-Western Spain). *Prog. Forensic Genet. / Int. Congress Ser.* 1239: 165-169
- (4) **Decorte, R., Gilissen, A., Cassiman, J.-J.** (2003) Allele frequency data for 15 STR loci (AmpFISTR®, SGM plus™ and AmpFISTR® Profiler™) in the Belgian population. *Prog. Forensic Genet.* 9 / *Int. Congress Ser.* 1239: 219-222
- (5) **Barbaro, A., Cormaci, P., Falcone, G., La Marca, A., Barbaro, A.** (2003) Population genetic study of 15 STRs loci using AmpF/STR identifier kit (Applied Biosystems). *Prog. Forensic Genet.* 9 / *Int. Congress Ser.* 1239: 259-266 and personal communication.
- (6) **Binda, S., Borer, U.V., Gehrig, C., Hochmeister, M., Budowle, B.** (2000) Swiss Caucasian population data for the STR loci D2S1338 and D19S433 using the AmpFISTR SGM Plus PCR amplification kit. *Forensic Sci. Int.* 108: 117-120
- (7) **Barrot, C., Sanchez, C., Ortega, M., Gonzalez-Martin, A., Brand-Casadevall, C., Gorostiza, A., Huguet, E., Corbella, J., Gene, M.** (2005) Characterisation of three Amerindian populations from Hidalgo State (Mexico) by 15 STR-PCR polymorphisms. *Int. J. Legal Med.* 119: 111-115
- (8) **Cai, Y., Xiang, D.-P., Liang, X.-Y., Xu, Y.-L., Zhuang, Y.-L.** (2003) STR data for the AmpF/STR SGM Plus loci from Shantou (south of China). *Forensic Sci. Int.* 132: 225-227
- (9) **Cakyr, A.H., Simsek, F., Katyrcy, N., Tasdelen, B.** (2004) STR data for the AmpF/STR SGM Plus from the eastern and western sections of Mediterranean region of Turkey. *Forensic Sci. Int.* 142: 55-57
- (10) **Calzada, P., Suarez, I., Garcia, S., Barrot, C., Sanchez, C., Ortega, M., Mas, J., Huguet, E., Corbella, J., Gene, M.** (2005) The Fang population of Equatorial Guinea characterised by 15 STR-PCR polymorphisms. *Int. J. Legal Med.* 119: 107-110
- (11) **Chiurillo, M.A., Morales, A., Mendes, A.M., Lander, N., Tovar, F., Fuentes, A., Ramirez, J.L.** (2003) Genetic profiling of a central Venezuelan population using 15 STR markers that may be of forensic importance. *Forensic Sci. Int.* 136: 99-101
- (12) **Czarny, J.** (2002) Population genetics of the STRs D3S1358, FGA, D2S1338, D8S1179, D21S11, D18S51 and D19S433 in the Pomerian-Kujawy region of Poland. *Forensic Sci. Int.* 125: 90-92
- (13) **Garfano, L., Pizzamiglio, M., Bizzaro, G., P., Donato, F., Rossetti, M., Budowle, B.** (1999) Italian population data on two new short tandem repeat loci: D6S477 and D19S433. *Forensic Sci. Int.* 101: 203-208
- (14) **Kim, Y.-L., Hwang, J.-H., Kim, Y.-J., Lee, S., Chung, N.-G., Goh, H.-G., Kim, C.-C., Kim, D.-W.** (2003) Allele frequencies of 15 STR loci using AmpF/STR Identifier kit in a Korean population. *Forensic Sci. Int.* 136: 92-95
- (15) **Korostishevsky, M., Loewenthal, R., Slomov, Y., Gazit, E.** (2004) Erroneous identification in a mixed population simulation using Israeli STR data. *Int. J. Legal med.* 118: 111-114
- (16) **Kubat, M., Skavic, J., Behluli, I., Nuraj, B., Bektashi, T., Behluli, M., Martinovic Klaric, I., Pericic, M.** (2004) Population genetics of the 15 AmpF/STR identifier loci in Kosovo Albanians. *Int. J. Legal Med.* 118: 115-118
- (17) **Kuzniar, P., Soltyszewski, I., Ploski, R.** (2002) Population genetics of 10 STR loci in a population of Central Poland. *Forensic Sci. Int.* 130: 55-57
- (18) **Pepinski, W., Niemcunowicz-Janica, A., Skawronska, M., Janica, J., Koc-Zorawska, E., Soltyszewski, I.** (2005) Genetic data on 15 STRs in a population sample of religious minority of Old Believers residing in the northeastern Poland. *Forensic Sci. Int.* 148: 61-63
- (19) **Tucholska-Lenart, A., Wujec, J., Samborski, J., Grejcz Jakubowska, E.** (2002) Allele frequencies for 10 STR loci in a population from Central Poland. *Forensic Sci. Int.* 129: 131-133
- (20) **Veselinovic, I., Kubat, M., Furac, I., Skavic, J., Martinovic, Klaric, I., Tasic, M.** (2004) Allele frequencies of 15 AmpF/STR Identifier loci in the population of Vojvodina Province, Serbia and Montenegro. *Int. J. Legal Med.* 118: 184-186

- (21) **Calo, C.M., Garofano, L., Marni, A., Pizzamiglio, M., Vona, G.** (2003) Genetic Analysis of a Sicilian Population Using 15 Short Tandem Repeats. *Hum. Biol.* 75: 163-178
- (22) **Steinlechner, M., Schmidt, K., Kraft, H.G., Uterman, G., Parson, W.** (2002) Gabon black population data on the ten short tandem repeat loci D3S1358, VWA, D16S539, D2S1338, D8S1179, D21S11, D18S51, D19S433, TH01 and FGA. *Int. J. Legal Med.* 116: 176-178
- (23) **Szczerkowska, Z., Kapinska, E., Wysocka, J., Cybulska, L.** (2004) Northern Polish population data and forensic usefulness of 15 autosomal STR loci. *Forensic Sci. Int.* 144: 69-71
- (24) **Barbarii, L.E., Rolf, B., Constantinescu, C., Hohoff, C., Calistru, P., Dermengiu, D.** (2004) Allele frequencies of 13 short tandem repeat (STR) loci in Romanian population. *Forensic Sci. Int.* 141: 171-174
- (25) **Regueiro, M., Carril, J.C., Pontes, M.L., Pinheiro, M.F., Luis, J.R., Caeiro, B.** (2004) Allele distribution of 15 PCR – based loci in the Rwanda Tutsi population by multiplex amplification and capillary electrophoresis. *Forensic Sci. Int.*: 61-63
- (26) **Wang, Z.-Y., Yu, R.-J., Wang, F., Li, X.-S., Jin, T.-B.** (2005) Genetic polymorphisms of 15 STR in Han population from Shaanxi (NW China). *Forensic Sci. Int.* 147: 89-91
- (27) **Yang, B., Wang, G., Liu, Y., Yang, W.** (2005) Population data for the AmpF/STR® Identifier™ PCR Amplification Kit in China Han in Jilin Province, China. *Forensic Sci. Int.* 151: 293-297
- (28) **Cai, Y., Xiang, D.-P., Liang, Y.Y., Xu, Y.L., Zhuang, Y.-L.** (2003) STR data for the AmpISTR SGM plus loci from Shantou (south of China). *Forensic Sci. Int.* 132: 225-227
- (29) **Barbarii, L.E., Rolf, B., Calistru, P., Dermengiu, D.** (2004) Genetic study on 10 STR loci in the Romanian population. *Prog. Forensic Genet.* 10 / *Int. Congress Ser.* 1261: 169-172
- (30) **Kapinska, E., Wysocka, J., Cybulska, L., Szczerkowska, Z.,** (2004) Polymorphism of AmpFISTR identifier of the North Poland population. *Prog. Forensic Genet.* 10 / *Int. Congress Ser.* 1261: 197-200
- (31) **Souto, L., Gusmao, L., Amorim, A., Ferreira, E., Corte-Real, F., Vieira, D.N., Cruz e Silva, E.F. da** (2004): POP-Gene Timor: first forensic DNA marker study of East-Timor people. *Prog. Forensic Genet.* 10 / *Int. Congress Ser.* 1261: 201-203
- (32) **Cerri, N., Manzoni, S., Verzeletti, A., Ferrari, F. de** (2004) Population data on D16S539, D2S1338 and D19S433 loci in a population sample from Brescia (Italy). *Prog. Forensic Genet.* 10 / *Int. Congress Ser.* 1261: 210-212
- (33) **Santos, M.V., Anjos, M.J., Andrade, L., Vide, M.C., Corte-Real, F., Vieira, D.N.** (2004): Population genetic data for the STR loci using the AmpFISTR® identifier™ kit in Bahia, Brazil. *Prog. Forensic Genet.* 10 / *Int. Congress Ser.* 1261: 219-222
- (34) **Jacewicz, R., Berent, J., Prośniak, A., Galecki, P., Florkowski, A., M., Szram, S.** (2004): Population genetics of the identifier system in Poland. *Prog. Forensic Genet.* 10 / *Int. Congress Ser.* 1261: 229-232
- (35) **Nussbaumer, C., Hanslik, S., Fichtinger, M., Bauer, G.** (2001) STR data for the AmpFISTR SGM plus from a regional population of Austria. *Forensic Sci. Int.* 122: 181-183
- (36) **Souza Goes, A.C. de, Silva, D.A. da, Fonseca Gil, E.H., Silva, M.T.D. da, Pereira, R.W., Carvalho, E.F. de** (2004) Allele frequencies data and statistic parameters for 16 STR loci – D19S433, D2S1338, CSF1PO, D16S539, D7S820, D21S11, D18S51, D13S317, D5S818, FGA, Penta E, TH01, vWA, D8S1179, TPOX, D3S1358 – in the Rio de Janeiro population, Brazil. *Forensic Sci. Int.* 140: 131-132
- (37) **Wang, C.-W., Chen, D.-P., Chen, C.-Y., Lu, S.-C., Sun, C.-F.** (2003) STR data for the AmpF/STR SGM Plus and profiler loci from Taiwan. *Forensic Sci. Int.* 138: 119-122
- (38) **Jacewicz, R., Berent, J., Prośniak, A., Kadlubek, M., Szram, S.** (2003) Genetic diversity and forensic evaluation of 10 STR loci in Lodz region of Poland. *Forensic Sci. Int.* 137: 94-96
- (39) **Pepinski, W., Janica, J., Aleksandrowicz-Bukin, M., Skawronska, M., Koc-Zorawska, E., Niemcunowicz-Janica, A.** (2004) Population genetics of 10 short tandem repeat (STR) loci in a population sample of the ethnic group of Polish Tatars living in the Podlasie area (Northeastern Poland). *Folia Morphol.* 63: 11-17
- (40) **Pepinski, W., Janica, J., Skawronska, M., Niemcunowicz-Janica, A., Sotyszewski, I.** (2001) Population genetics of 15 STR loci in the population of Podlasie (NE Poland). *Forensic Sci. Int.* 124: 226-227
- (41) **De Ungria, M.C.A., Roby, R.K., Tabbada, K.A., Rao-Coticone, S., Tan, M.M.M., Hernandez, K.N.** (2005) Allele frequencies of 19 STR loci in a Philippine population generated using AmpFISTR multiplex and ALF singleplex systems. *Forensic Sci. Int.* 152: 281-284



- (42) **Beleza, S., Alves, C., Reis, F., Amorim, A., Carracedo, A., Gusmao, L.** (2004) 17 STR data (AmpF/STR Identifiler and Powerplex, 16 System) from Cabinda (Angola). *Forensic Sci. Int.* 141: 193-196
- (43) **Alves, C., Gusmao, L., Damasceno, A., Soares, B., Amorim, A.** (2004) Contribution for an African autosomic STR database (AmpF/STR Identifiler and Powerplex 16 System) and a report on genotypic variations. *Forensic Sci. Int.* 139: 201-205
- (44) **Reichenpader, B., Immel, U., Klitschar, M.** (2003) Population data on the AmpFISTR SGM plus PCR amplification kit in Germans and Austrians. *Forensic Sci. Int.* 132: 84-86
- (45) **Cakir, A.H., Celebioglu, A., Simsek, F.** (2002) STR data for the AmpFISTR SGM *Plus* from Aegean region of Turkey. *Forensic Sci. Int.* 129: 137-139
- (46) **Alves, C., Gusmao, L., Lopez-Parra, A.M., Soladed Mesa, M., Amorim, A., Arroyo-Pardo, E.** (2005) STR allelic frequencies for an African population sample (Equatorial Guinea) using AmpFISTR Identifiler and Powerplex 16 kits. *Forensic Sci. Int.* 148: 239- 242
- (47) **Chan, K.M., Chiu, C.T., Tsui, P., Wong, D.M., Fung, W.K.** (2005) Population data for the Identifiler™ 15 STR loci in Hong Kong Chinese. *Forensic Sci. Int.* 152: 307-309
- (48) **Rerkamnuaychoke, B., Rinthachai, T., Shotivaranon, J., Jomsawat, U., Siriboonpiputtana, T., Chaiatchanarat, K., Pasomsub, E., Chantratita, W.** (2005) Thai population data on 15 tetrameric STR loci—D8S1179, D21S11, D7S820, CSF1PO, D3S1358, TH01, D13S317, D16S539, D2S1338, D19S433, vWA, TPOX, D18S51, D5S818 and FGA. *Forensic Sci. Int.*, in press
- (49) **Kang, L., Li, S.** (2005) Allele frequencies of 15 STR LOCI OF Luoba ethnic group in Tibet (Southwestern China). *Forensic Sci. Int.*, in press.
- (50) **Cakir, A.H., Celebioglu, A., Altunbas, S.** (2002) STR data for the AmpFISTR SGM *Plus* from Marmara region of Turkey. *Forensic Sci. Int.* 127: 240-242
- (51) **Crespillo, M., Paredes, M., Luque, J.A., Valverde, J.L.** (2003) Population data of the STRs D2S1338 and D19S433. *J. Forensic Sci.* 48: 1183
- (52) **Hernandez–Gutierrez, S., Hernandez–Franco, P., Martinez–Tripp, Ramos–Kuri, M., Rangel–Villalobos, H.** (2005) STR data for 15 loci in a population sample from the central region of Mexico. *Forensic Sci. Int.* 151: 97-100
- (53) **Czarny, J., Grzybowski, T., Derenko, M.V., Malyarchuk, B.A., Sliwka, D.M.** (2005) Genetic variation of 15 STR loci (D3S1358), vWA, FGA, TH01, TPOX, CSF1PO, D5S818, D13S317, D7S820, D16S539, D2S1338, D8S1179, D21S11, D18S51, and D19S433) in populations of north and central Poland. *Forensic Sci. Int.* 147: 97-100
- (54) **Drobnic, K., Regent, A., Budowle, B.** (2001) STR data for the AmpFISTR SGM *plus* from Slovenia. *Forensic Sci. Int.* 115: 107-109
- (55) **Pereira, J.V., Serra, A., Anjos, M.J., Vide, M.C., Corte-Real, F., Vieira, D.N.** (2005): Allele frequencies for fifteen STR loci in Guinea-Bissau population. *J. Forensic Sci.* 50: 243-244