

**TPOX**

Population	Ref.	n	6	7	8	9	10	11	12	13	14
<b>Europe</b>											
<b>Austria</b>	(24)	153	<b>0.0000</b>	<b>0.0033</b>	<b>0.5523</b>	<b>0.1176</b>	<b>0.0523</b>	<b>0.2484</b>	<b>0.0261</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Basques (pooled)</b>		768	<b>0.0000</b>	<b>0.0006</b>	<b>0.5130</b>	<b>0.0755</b>	<b>0.0788</b>	<b>0.2858</b>	<b>0.0462</b>	<b>0.0000</b>	<b>0.0000</b>
Basques	(84)	49	0.0000	0.0000	0.5200	0.0610	0.0920	0.2860	0.0410	0.0000	0.0000
Basques	(69)	200	0.0000	0.0000	0.5225	0.0850	0.0625	0.2925	0.0375	0.0000	0.0000
Basques (autochthonous)	(23, 35)	206	0.0000	0.0024	0.4927	0.0898	0.0874	0.2743	0.0534	0.0000	0.0000
<b>Croatia (Island of Hvar) (pooled)</b>	(82)	210	<b>0.0430</b>	<b>0.0100</b>	<b>0.6330</b>	<b>0.0670</b>	<b>0.0520</b>	<b>0.1900</b>	<b>0.0050</b>	<b>0.0000</b>	<b>0.0000</b>
Croatia (Island of Hvar, Bogomolje)	(82)	36	0.0830	0.0000	0.5280	0.1110	0.0560	0.2220	0.0000	0.0000	0.0000
Croatia (Island of Hvar, Dol)	(82)	40	0.0500	0.0250	0.6750	0.0500	0.0250	0.1750	0.0000	0.0000	0.0000
Croatia (Island of Hvar, Gdinj)	(82)	30	0.0330	0.0000	0.5670	0.0330	0.1670	0.2000	0.0000	0.0000	0.0000
Croatia (Island of Hvar, Svirce)	(82)	30	0.0670	0.0330	0.4670	0.0670	0.1000	0.2670	0.0000	0.0000	0.0000
Croatia (Island of Hvar, Vrbanj)	(82)	38	0.0000	0.0000	0.7110	0.0530	0.0000	0.2110	0.0260	0.0000	0.0000
Croatia (Island of Hvar, Zastrazišće)	(82)	36	0.0280	0.0000	0.8060	0.0830	0.0000	0.0830	0.0000	0.0000	0.0000
<b>Czech Republic</b>	(53, 54)	64	<b>0.0080</b>	<b>0.0000</b>	<b>0.5550</b>	<b>0.0630</b>	<b>0.0780</b>	<b>0.2580</b>	<b>0.0390</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Estonia</b>	(44)	100	<b>0.0000</b>	<b>0.0000</b>	<b>0.5750</b>	<b>0.1100</b>	<b>0.0450</b>	<b>0.2700</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Finland (pooled)</b>		534	<b>0.0000</b>	<b>0.0000</b>	<b>0.5366</b>	<b>0.1022</b>	<b>0.0392</b>	<b>0.2959</b>	<b>0.0264</b>	<b>0.0000</b>	<b>0.0000</b>
Finland	(52, 54)	180	0.0000	0.0000	0.5670	0.0810	0.0470	0.2750	0.0310	0.0000	0.0000
<b>Germany (pooled)</b>		<b>2876</b>	<b>0.0014</b>	<b>0.0008</b>	<b>0.5436</b>	<b>0.0992</b>	<b>0.0670</b>	<b>0.2485</b>	<b>0.0382</b>	<b>0.0014</b>	<b>0.0000</b>
Germany (South-West)	(43)	173	0.0030	0.0000	0.5430	0.0870	0.0580	0.2830	0.0260	0.0000	0.0000
Germany (South-West)	(67)	227	0.0000	0.0000	0.5000	0.0930	0.0700	0.3020	0.0330	0.0020	0.0000
Germany (North Bavaria)	(63)	130	0.0000	0.0000	0.5620	0.1040	0.0460	0.2460	0.0380	0.0040	0.0000
Germany (Bochum, Essen, Recklinghausen)	(26)	147	0.0000	0.0000	0.5580	0.0780	0.0580	0.2860	0.0200	0.0000	0.0000

Germany (Hamburg)	(30)	1396	0.0021	0.0014	0.5630	0.0917	0.0645	0.2382	0.0369	0.0021	0.0000
Germany (Münster)	(21)	488	0.0010	0.0010	0.5440	0.1070	0.0620	0.2500	0.0360	0.0000	0.0000
<b>Hungary (Roma)</b>	(17)	135	<b>0.0000</b>	<b>0.0000</b>	<b>0.4330</b>	<b>0.0670</b>	<b>0.1440</b>	<b>0.3520</b>	<b>0.0040</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Italy (pooled)</b>		11388	<b>0.0008</b>	<b>0.0010</b>	<b>0.5086</b>	<b>0.1201</b>	<b>0.0790</b>	<b>0.2539</b>	<b>0.0356</b>	<b>0.0011</b>	<b>0.0000</b>
Italy	(34)	225	0.0000	0.0000	0.4889	0.1111	0.1000	0.2733	0.0267	0.0000	0.0000
Italy	(50)	10000	0.0008	0.0010	0.5072	0.1214	0.0786	0.2535	0.0363	0.0012	0.0000
Italy	(60, 66)	223	0.0045	0.0045	0.5314	0.1256	0.0561	0.2534	0.0247	0.0000	0.0000
Italy (Northeast)	(45)	142	0.0000	0.0000	0.5600	0.1060	0.0880	0.2360	0.0110	0.0000	0.0000
Italy (North, Brescia area)	(42)	103	0.0000	0.0000	0.5000	0.1408	0.0728	0.2282	0.0583	0.0000	0.0000
Italy (North, Central, South)	(83)	390	0.0013	0.0013	0.5077	0.1038	0.0859	0.2731	0.0269	0.0000	0.0000
Italy (Tuscany)	(24)	146	0.0000	0.0000	0.5342	0.0925	0.0822	0.2500	0.0411	0.0000	0.0000
Italy (Tuscany)	(39)	159	0.0000	0.0000	0.5331	0.1060	0.0795	0.2417	0.0397	0.0000	0.0000
<b>Poland (pooled)</b>		703	<b>0.0007</b>	<b>0.0007</b>	<b>0.5518</b>	<b>0.1060</b>	<b>0.0691</b>	<b>0.2461</b>	<b>0.0234</b>	<b>0.0021</b>	<b>0.0000</b>
Poland (South)	(56)	124	0.0000	0.0000	0.5560	0.1250	0.0810	0.2140	0.0240	0.0000	0.0000
Poland (South-East, Rzeszów)	(87)	72	0.0000	0.0000	0.6319	0.0486	0.0486	0.2361	0.0208	0.0139	0.0000
Poland (Poronin, Tatra Mountains)	(87)	68	0.0074	0.0074	0.5515	0.1471	0.0221	0.2500	0.0074	0.0074	0.0000
Poland (Kraków)	(87)	234	0.0000	0.0000	0.5598	0.0855	0.0791	0.2564	0.0191	0.0000	0.0000
Poland (Pomerania-Kujawy region)	(32)	205	0.0000	0.0000	0.5122	0.1244	0.0732	0.2561	0.0341	0.0000	0.0000
<b>Portugal (pooled) (Azores not included)</b>		1239	<b>0.0027</b>	<b>0.0029</b>	<b>0.5059</b>	<b>0.0969</b>	<b>0.0601</b>	<b>0.2962</b>	<b>0.0334</b>	<b>0.0015</b>	<b>0.0000</b>
Portugal	(84)	39	0.0130	0.0000	0.5260	0.1410	0.0380	0.2310	0.0510	0.0000	0.0000
Portugal (Central)	(47)	114	0.0000	0.0044	0.4912	0.0877	0.0746	0.3289	0.0132	0.0000	0.0000
Portugal (North)	(29)	370	0.0040	0.0030	0.5130	0.0880	0.0610	0.2880	0.0420	0.0010	0.0000
Portugal (North)	(38)	290	0.0000	0.0017	0.4845	0.1121	0.0604	0.3155	0.0224	0.0034	0.0000
Portugal (Azores)	(47)	95	0.0000	0.0053	0.4789	0.1263	0.0526	0.2895	0.0474	0.0000	0.0000
<b>Slovenia</b>	(70)	235	<b>0.0000</b>	<b>0.0000</b>	<b>0.5680</b>	<b>0.1470</b>	<b>0.0380</b>	<b>0.2190</b>	<b>0.0260</b>	<b>0.0020</b>	<b>0.0000</b>
<b>Spain (pooled) (Canary Islands not included)</b>		1782	<b>0.0008</b>	<b>0.0006</b>	<b>0.5251</b>	<b>0.1073</b>	<b>0.0640</b>	<b>0.2663</b>	<b>0.0347</b>	<b>0.0011</b>	<b>0.0000</b>
Spain (Central Pyrenees)	(36)	103	0.0000	0.0000	0.5388	0.1117	0.0874	0.2136	0.0485	0.0000	0.0000
Spain (North-East)	(22)	316	0.0000	0.0000	0.5317	0.0981	0.0411	0.2911	0.0317	0.0063	0.0000
Spain (Andalusia)	(84)	36	0.0000	0.0280	0.4440	0.1390	0.0830	0.2500	0.0560	0.0000	0.0000

Spain (Catalonia)	(84)	49	0.0000	0.0000	0.5310	0.1430	0.0610	0.2240	0.0410	0.0000	0.0000
Spain (North of Aragon, Pyrenees)	(73)	150	0.0000	0.0000	0.5380	0.1120	0.0870	0.2130	0.0500	0.0000	0.0000
Spain (South of Aragon)	(73)	100	0.0000	0.0000	0.4800	0.1000	0.0800	0.3150	0.0250	0.0000	0.0000
Spain (North, Asturias)	(64)	117	0.0000	0.0000	0.5430	0.0680	0.0810	0.2650	0.0430	0.0000	0.0000
Spain (Catalonia)	(27)	283	0.0020	0.0000	0.5140	0.1320	0.0670	0.2520	0.0320	0.0000	0.0000
Spain (Galicia)	(31)	260	0.0000	0.0000	0.5380	0.1190	0.0540	0.2600	0.0290	0.0000	0.0000
Spain (Canary Islands)	(46)	138	0.0072	0.0036	0.5471	0.1232	0.0633	0.2174	0.0181	0.0000	0.0000
<b>Switzerland (pooled)</b>		306	<b>0.0016</b>	<b>0.0000</b>	<b>0.5572</b>	<b>0.0719</b>	<b>0.0572</b>	<b>0.2859</b>	<b>0.0261</b>	<b>0.0000</b>	<b>0.0000</b>
Switzerland	(20)	100	0.0000	0.0000	0.5750	0.0600	0.0650	0.2650	0.0350	0.0000	0.0000
Switzerland (Bern)	(28)	206	0.0024	0.0000	0.5485	0.0777	0.0534	0.2961	0.0218	0.0000	0.0000
<b>Turkey (pooled)</b>		297	<b>0.0000</b>	<b>0.0017</b>	<b>0.5406</b>	<b>0.0976</b>	<b>0.0943</b>	<b>0.2493</b>	<b>0.0152</b>	<b>0.0017</b>	<b>0.0000</b>
Turkey	(19)	200	0.0000	0.0025	0.5525	0.0950	0.0925	0.2325	0.0225	0.0025	0.0000
Turkey (Adana)	(21)	97	0.0000	0.0000	0.5160	0.1030	0.0980	0.2840	0.0000	0.0000	0.0000
<b>America, North</b>											
<b>Canada</b> (Quebec, French Canadian Caucasoids)	(25)	435	<b>0.0020</b>	<b>0.0000</b>	<b>0.4820</b>	<b>0.1020</b>	<b>0.0690</b>	<b>0.3010</b>	<b>0.0410</b>	<b>0.0020</b>	<b>0.0000</b>
<b>USA (Afroamericans (pooled))</b>		580	<b>0.0603</b>	<b>0.0232</b>	<b>0.3647</b>	<b>0.1888</b>	<b>0.0975</b>	<b>0.2250</b>	<b>0.0405</b>	<b>0.0000</b>	<b>0.0000</b>
USA (Afroamericans)	(16)	250	0.0640	0.0140	0.3640	0.1860	0.0860	0.2460	0.0400	0.0000	0.0000
USA (Afroamericans)	(67)	76	0.0460	0.0260	0.4610	0.1970	0.0860	0.1710	0.0130	0.0000	0.0000
USA (Afroamericans, Chicago)	(57)	50	0.1000	0.0100	0.2800	0.2000	0.1300	0.2400	0.0400	0.0000	0.0000
<b>USA (Caucasoids (pooled))</b>		562	<b>0.0027</b>	<b>0.0009</b>	<b>0.5258</b>	<b>0.1023</b>	<b>0.0498</b>	<b>0.2802</b>	<b>0.0374</b>	<b>0.0009</b>	<b>0.0000</b>
USA (Caucasoids)	(16)	204	0.0049	0.0025	0.5490	0.1029	0.0515	0.2500	0.0392	0.0000	0.0000
USA (Caucasoids, Maine)	(61)	149	0.0000	0.0000	0.4966	0.1107	0.0403	0.3154	0.0336	0.0034	0.0000
<b>America, South</b>											
<b>Argentina</b> (Ameridians, Mapuche)	(86)	50	<b>0.0000</b>	<b>0.0000</b>	<b>0.4900</b>	<b>0.0300</b>	<b>0.0400</b>	<b>0.2200</b>	<b>0.2100</b>	<b>0.0100</b>	<b>0.0000</b>
<b>Argentina</b> (Ameridians, Mocovi)	(86)	42	<b>0.0000</b>	<b>0.0240</b>	<b>0.4050</b>	<b>0.0950</b>	<b>0.0000</b>	<b>0.2140</b>	<b>0.2620</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Argentina</b> (Ameridians, Wichi)	(86)	50	<b>0.0200</b>	<b>0.0000</b>	<b>0.2100</b>	<b>0.0100</b>	<b>0.0000</b>	<b>0.3900</b>	<b>0.3700</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Argentina</b> (Caucasoids, La Plata city)	(86)	100	<b>0.0000</b>	<b>0.0000</b>	<b>0.5300</b>	<b>0.1000</b>	<b>0.0600</b>	<b>0.2600</b>	<b>0.0500</b>	<b>0.0000</b>	<b>0.0000</b>

<b>Colombia</b> (Valle del Cauca)	(51, 54)	883	<b>0.0110</b>	<b>0.0030</b>	<b>0.4680</b>	<b>0.0930</b>	<b>0.0530</b>	<b>0.2830</b>	<b>0.0860</b>	<b>0.0030</b>	<b>0.0000</b>
<b>Colombia</b> (Choco department, African descent)	(90)	251	<b>0.0857</b>	<b>0.0339</b>	<b>0.3446</b>	<b>0.1833</b>	<b>0.0697</b>	<b>0.2311</b>	<b>0.0518</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Colombia</b> (Caucasian-Mestizos)	(88)	414	<b>0.0073</b>	<b>0.0012</b>	<b>0.4903</b>	<b>0.0628</b>	<b>0.0435</b>	<b>0.2947</b>	<b>0.0906</b>	<b>0.0097</b>	<b>0.0000</b>
<b>Asia, South-West</b>											
<b>Israel</b> (Ashkenazi)	(55)	128	<b>0.0000</b>	<b>0.0000</b>	<b>0.5469</b>	<b>0.1367</b>	<b>0.0781</b>	<b>0.2266</b>	<b>0.0127</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Israel</b> (Jews originating from Morocco)	(55)	133	<b>0.0000</b>	<b>0.0038</b>	<b>0.4887</b>	<b>0.1353</b>	<b>0.0526</b>	<b>0.2857</b>	<b>0.0300</b>	<b>0.0038</b>	<b>0.0000</b>
<b>Israel</b> (Jews originating from Yemen)	(55)	67	<b>0.0000</b>	<b>0.0000</b>	<b>0.5522</b>	<b>0.2015</b>	<b>0.0896</b>	<b>0.1428</b>	<b>0.0149</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Israel</b> (Jews originating from Ethiopia)	(55)	105	<b>0.0000</b>	<b>0.0048</b>	<b>0.4190</b>	<b>0.2857</b>	<b>0.0857</b>	<b>0.1714</b>	<b>0.0333</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Saudi Arabia</b>	(65)	165	<b>0.0000</b>	<b>0.0000</b>	<b>0.5390</b>	<b>0.1640</b>	<b>0.1060</b>	<b>0.1880</b>	<b>0.0030</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Asia, Indian Subkontinent</b>											
<b>Pakistan</b> (Araeen subpopulation of Lahore)	(85)	100	<b>0.0100</b>	<b>0.0150</b>	<b>0.3700</b>	<b>0.1000</b>	<b>0.1000</b>	<b>0.3800</b>	<b>0.0250</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Pakistan</b> (Raajpoot subpopulation of Lahore)	(85)	100	<b>0.0000</b>	<b>0.0050</b>	<b>0.3900</b>	<b>0.1250</b>	<b>0.0550</b>	<b>0.3550</b>	<b>0.0700</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Asia, Far East</b>											
<b>China (pooled)</b>		658	<b>0.0000</b>	<b>0.0000</b>	<b>0.5404</b>	<b>0.1164</b>	<b>0.0193</b>	<b>0.3009</b>	<b>0.0237</b>	<b>0.0000</b>	<b>0.0000</b>
China (Northeast, Shenyang)	(71)	93	0.0000	0.0000	0.5000	0.1080	0.0110	0.3440	0.0380	0.0000	0.0000
China (Han population, Chendu, Sichuan Province)	(48)	128	0.0000	0.0000	0.5310	0.1250	0.0200	0.3040	0.0200	0.0000	0.0000
China (Hong Kong)	(81)	351	0.0000	0.0000	0.5630	0.1070	0.0230	0.2880	0.0200	0.0000	0.0000
China (Shen Yong area)	(21)	86	0.0000	0.0000	0.5060	0.1510	0.0120	0.3020	0.0290	0.0000	0.0000
China (Teipei)	(80)	116	0.0000	0.0000	0.5430	0.0990	0.0130	0.3320	0.0090	0.0040	0.0000
<b>Japan (pooled)</b>		1491	<b>0.0000</b>	<b>0.0000</b>	<b>0.4518</b>	<b>0.1096</b>	<b>0.0370</b>	<b>0.3527</b>	<b>0.0440</b>	<b>0.0031</b>	<b>0.0019</b>
Japan	(40)	187	0.0000	0.0000	0.4250	0.1390	0.0350	0.3410	0.0610	0.0000	0.0000
Japan	(41)	113	0.0000	0.0000	0.4560	0.0890	0.0530	0.3500	0.0400	0.0090	0.0040
Japan	(49)	120	0.0000	0.0000	0.3790	0.1580	0.0420	0.3790	0.0420	0.0000	0.0000
Japan	(62)	206	0.0000	0.0000	0.4900	0.0700	0.0410	0.3540	0.0360	0.0050	0.0020
Japan (Central, Gifu Prefecture)	(11, 72)	486	0.0000	0.0000	0.4510	0.1210	0.0360	0.3490	0.0390	0.0000	0.0040
Japan (Northeast, Sendai)	(71)	116	0.0000	0.0000	0.4660	0.1080	0.0220	0.3660	0.0390	0.0000	0.0000

Japan (Shiga area)	(21)	113	0.0000	0.0000	0.4430	0.1240	0.0400	0.3360	0.0580	0.0000	0.0000
<b>Asia, Far East (continued)</b>											
<b>Korea (South)</b>	(79)	500	<b>0.0000</b>	<b>0.0020</b>	<b>0.5160</b>	<b>0.1180</b>	<b>0.0380</b>	<b>0.3070</b>	<b>0.0190</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Philippines (pooled)</b>		498	<b>0.0000</b>	<b>0.0036</b>	<b>0.4537</b>	<b>0.1196</b>	<b>0.0175</b>	<b>0.3823</b>	<b>0.0235</b>	<b>0.0011</b>	<b>0.0000</b>
Philippines (National capital region)	(78)	225	0.0000	0.0080	0.4510	0.1180	0.0230	0.3790	0.0230	0.0000	0.0000
Philippines (Filipinos living in Taiwan)	(59)	273	0.0000	0.0000	0.4560	0.1210	0.0130	0.3850	0.0240	0.0020	0.0000
<b>Taiwan (pooled)</b>		716	<b>0.0000</b>	<b>0.0000</b>	<b>0.5579</b>	<b>0.1236</b>	<b>0.0217</b>	<b>0.2773</b>	<b>0.0189</b>	<b>0.0000</b>	<b>0.0006</b>
Taiwan	(18)	100	0.0000	0.0000	0.6100	0.1250	0.0250	0.2200	0.0200	0.0000	0.0000
Taiwan	(58)	500	0.0000	0.0000	0.5510	0.1290	0.0230	0.2760	0.0210	0.0000	0.0000
<b>Thailand (pooled)</b>		246	<b>0.0000</b>	<b>0.0018</b>	<b>0.5749</b>	<b>0.1237</b>	<b>0.0303</b>	<b>0.2417</b>	<b>0.0247</b>	<b>0.0000</b>	<b>0.0018</b>
Thailand	(75)	100	0.0000	0.0000	0.5150	0.1350	0.0350	0.2850	0.0300	0.0000	0.0000
Thailand (Thais living in Taiwan)	(59)	146	0.0000	0.0030	0.6160	0.1160	0.0270	0.2120	0.0210	0.0000	0.0030
<b>Africa</b>											
<b>Africa (Northwest, Saharawis from the western Sahara)</b>	(74)	59	<b>0.0080</b>	<b>0.0250</b>	<b>0.4410</b>	<b>0.2370</b>	<b>0.1100</b>	<b>0.1530</b>	<b>0.0250</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Algeria (Berbers from Ghardaia, Mozabites)</b>	(74)	44	<b>0.0000</b>	<b>0.0000</b>	<b>0.4430</b>	<b>0.1590</b>	<b>0.1140</b>	<b>0.2730</b>	<b>0.0110</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Cabo Verde</b>	(33)	244	<b>0.0550</b>	<b>0.0250</b>	<b>0.2750</b>	<b>0.1640</b>	<b>0.1150</b>	<b>0.3420</b>	<b>0.0250</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Cameroon (Bamileke)</b>	(76)	46	<b>0.0540</b>	<b>0.0110</b>	<b>0.3910</b>	<b>0.1960</b>	<b>0.1090</b>	<b>0.2280</b>	<b>0.0110</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Cameroon (Ewondo)</b>	(76)	65	<b>0.1770</b>	<b>0.0150</b>	<b>0.3540</b>	<b>0.2380</b>	<b>0.0540</b>	<b>0.1620</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Central African Republic (Sanga)</b>	(76)	32	<b>0.0310</b>	<b>0.0310</b>	<b>0.4690</b>	<b>0.1720</b>	<b>0.1250</b>	<b>0.1560</b>	<b>0.0160</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Central African Republic (Mbenzele Pygmies)</b>	(76)	48	<b>0.1350</b>	<b>0.0000</b>	<b>0.4480</b>	<b>0.1560</b>	<b>0.1040</b>	<b>0.1560</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Egypt (Central, El-Minia)</b>	(89)	120	<b>0.0000</b>	<b>0.0000</b>	<b>0.5000</b>	<b>0.1900</b>	<b>0.0660</b>	<b>0.2190</b>	<b>0.0250</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Equatorial Guinea (Annobon Island / Pagalu)</b>	(37)	85	<b>0.0940</b>	<b>0.0650</b>	<b>0.3410</b>	<b>0.2120</b>	<b>0.1120</b>	<b>0.1700</b>	<b>0.0060</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Morocco</b>	(21)	130	<b>0.0170</b>	<b>0.0230</b>	<b>0.4300</b>	<b>0.1340</b>	<b>0.0810</b>	<b>0.2970</b>	<b>0.0170</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Morocco (Arabs) (pooled)</b>		127	<b>0.0000</b>	<b>0.0197</b>	<b>0.4644</b>	<b>0.2045</b>	<b>0.1026</b>	<b>0.1810</b>	<b>0.0273</b>	<b>0.0000</b>	<b>0.0000</b>
Morocco (North, Arabs)	(84)	47	0.0000	0.0210	0.4890	0.2020	0.0850	0.1810	0.0210	0.0000	0.0000
Morocco (Northwest, Arabs)	(74)	80	0.0000	0.0190	0.4500	0.2060	0.1130	0.1810	0.0310	0.0000	0.0000
<b>Morocco (Berbers) (pooled)</b>		161	<b>0.0123</b>	<b>0.0063</b>	<b>0.4133</b>	<b>0.1522</b>	<b>0.1119</b>	<b>0.2947</b>	<b>0.0063</b>	<b>0.0000</b>	<b>0.0000</b>

Morocco (North, Berbers)	(84)	50	0.0100	0.0000	0.4100	0.1300	0.1200	0.3200	0.0000	0.0000	0.0000
Morocco (Berber speakers from northern and central Morocco)	(74)	63	0.0160	0.0000	0.3970	0.1510	0.1350	0.3010	0.0000	0.0000	0.0000
Morocco (Berbers from southern Morocco)	(74)	48	0.0100	0.0210	0.4380	0.1770	0.0730	0.2600	0.0210	0.0000	0.0000
<b>Namibia</b> (Ovambos)	(21)	101	<b>0.0840</b>	<b>0.0200</b>	<b>0.3710</b>	<b>0.1290</b>	<b>0.0550</b>	<b>0.3020</b>	<b>0.0400</b>	<b>0.0000</b>	<b>0.0000</b>
<b>São Tomé e Príncipe</b>	(14, 68, 77)	164	<b>0.0640</b>	<b>0.0400</b>	<b>0.3540</b>	<b>0.2160</b>	<b>0.0870</b>	<b>0.2120</b>	<b>0.0270</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Zimbabwe</b>	(15)	102	<b>0.0590</b>	<b>0.0100</b>	<b>0.3140</b>	<b>0.2210</b>	<b>0.0690</b>	<b>0.3040</b>	<b>0.0250</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Oceania: Australia, Polynesia, Melanesia</b>											
<b>Australia</b> (Aborigines, Adelaide area)	(21)	67	<b>0.0000</b>	<b>0.0000</b>	<b>0.1490</b>	<b>0.5520</b>	<b>0.0600</b>	<b>0.2390</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
<b>Papua-New Guinea</b> (Eastern highlands)	(21)	104	<b>0.0000</b>	<b>0.0000</b>	<b>0.1780</b>	<b>0.4660</b>	<b>0.0190</b>	<b>0.3080</b>	<b>0.0290</b>	<b>0.0000</b>	<b>0.0000</b>

## References

- (15) **Budowle, B., Nhari, L.T., Moretti, T.R., Kanoyangwa, S.B., Masuka, E., Defenbaugh, D.A., Smerick, J.B.** (1997) Zimbabwe black population data on the six short tandem repeat loci - CSF1PO, TPOX, TH01, D3S1358, VWA, and FGA. *Forens. Sci. Int.* 90: 215-221
- (16) **Smith, T.A.** (1997) West Virginia State Police, personal communication
- (17) **Füredi, S., Angyal, M., Kozma, Z., Sétáló, Woller, J., Pádár, Z.** (1997) Semi-automatic DNA profiling in a Hungarian Romany population using the STR loci HumVWFA31, HumTH01, HumTPOX, and HumCDF1PO. *Int. J. Legal Med.* 110: 184-187
- (18) **Lee, J. C.-I., Chen, C.H., Tsai, L.-C., Linacre, A., Chang, J.G.** (1997) The screening of 13 short tandem repeat loci in the Chinese population. *Forens. Sci. Int.* 87: 137-144
- (19) **Vural, B., Poda, M., Atlioglu E., Kolusayin, Ö., Cenani, A., Morling, N., Tümer, Z.** (1998) Turkish population data on the short tandem repeat locus TPOX. *Int. J. Legal Med.* 111: 105-106
- (20) **Hochmeister, M.N., Budowle, B., Schumm, J.W., Sprecher, C.J., Borer, U.V., Dirnhofer, R.** (1995) Swiss population data and forensic efficiency values on 3 tetrameric short tandem repeat loci - HUMTH01, TPOX, and CSF1PO - derived using a STR multiplex system. *Int. J. Legal Med.* 107: 246-249
- (21) **Takeshita, H., Meyer, E., Brinkmann, B.** (1997) The STR loci HumTPO and HumLPL: population genetic data in eight populations. *Int. J. Legal Med.* 110: 331-333
- (22) **Crespillo, M., Luque, J.A., Fernández, R., Ramírez, E., García, P., Valverde, J.L.** (1997) Allele frequency distributions of 13 PCR-based systems in a population from North-East Spain. *Int. J. Legal Med.* 110: 223-225
- (23) **García, O., Martin, P., Budowle, B., Uriarte, J., Albarrán, C., Alonso, A.** (1998) Basque Country autochthonous population data on 7 short tandem repeat loci. *Int. J. Legal Med.* 111: 162-164
- (24) **Ricci, U., Klintschar, M., Neuhuber, F., Giovannucci Uzielli, M.L.** (1998) Study on the STR TPOX in an Italian and an Austrian population using two different primer pairs and three different electrophoretic methods. *Int. J. Legal Med.* 111: 212-214
- (25) **Busque, L., Desmarais, D., Provost, S., Schumm, J.W., Zhong, Y., Chakraborty, R.** (1997) Analysis of allele distribution for six short tandem repeat loci in the French Canadian population of Québec. *J. Forens. Sci.* 42: 1147-1153

- (26) **Stein, C.** (1998) Institut für Rechtsmedizin, Essen, personal communication
- (27) **Gené, M., Carracedo, A., Huguet, E., Pérez-Pérez, A., Moreno, P.** (1998) Population genetics of the D12S391, CSF1PO and TPOX loci in Catalonia (Northeast Spain). *Int. J. Legal Med.* 111: 52-54
- (28) **Gehrig, C.** (1998) Institut für Rechtsmedizin, Bern, personal communication
- (29) **Pereira, L., Gusmão, L., Amorim, A., Prata, M.J., Silva, F., Bessa, I., Santos, M.T.** (1996) Population and segregation data on the STRs CD4, FES/FPS, MBP (Locus B), TH01, TP53, TPO and vWA31/A in North Portugal. *Proc. 7th Int. Symp. Human Identification.* Promega Corp., 193
- (30) **Martin, W., Muche, M.** (1998) Institut für Blutgruppenserologie und Genetik, Hamburg, personal communication
- (31) **Luis, J.R., Caeiro, B.** (1995) Application of two STRs (VWA and TPO) to human population profiling: Survey in Galicia. *Hum. Biol.* 67: 789-795
- (32) **Miscicka-Sliwka, Czarny, J., Grzybowski, T., Wozniak, M.** (1998) Population genetics of 14 STRs: vWA, TH01, TPOX, CSF1PO, D5S818, D13S317, D7S820, D16S539, F13A01, FESFPS, F13B, LPL, D3S1358 and FGA in the Pomerania-Kujawy region of Poland. *Progr. Forensic Genet.* 7: 261-263
- (33) **Dios, S., Luis, J.R., Caeiro, B., Teixeira Ribeiro, J.C.** (1998) TPOX, HUMVWA31/A, HUMTH01, CYP19, D5S373, D8S323, D8S344, D8S345: STR database for a West African population. *Progr. Forensic Genet.* 7: 267-269
- (34) **Dobosz, M., Caglià, A., Maviglia, R., Boschi, I.** (1998) Allele frequencies of four STR polymorphisms in an Italian population sample. *Progr. Forensic Genet.* 7: 270-271
- (35) **García, O., Martin, P., Uriarte, J., Albarrán, C., Alonso, A.** (1998) Allele frequency distribution of 7 STR loci in the Basque country autochthonous population. *Progr. Forensic Genet.* 7: 282-284
- (36) **Martínez-Jarreta, B., Diaz Roche, P., Budowle, B., Abecia, E., Castellano, M., Casalod, Y.** (1998) Pyrenean population data on 3 tetrameric short tandem repeat loci - HUMTH01, TPOX and CSF1PO-derived using a STR multiplex system. *Progr. Forensic Genet.* 7: 312-314
- (37) **Huguet, E., Borrego, N., Pinheiro, M.F., Luna, M., Corbella, J., Mas, J., Gené, M., Moreno, P.** (1998) Annobon Island population (Equatorial Guinea) characterised by five VNTRs-PCR polymorphisms. *Progr. Forensic Genet.* 7: 329-331
- (38) **Lurdes Pontes, M., Pinheiro, M.F., Huguet, E., Gené, M., Pinto da Costa, J.** (1998) Automated typing of 4 tetrameric STR: a North of Portugal database. *Progr. Forensic Genet.* 7: 335-337
- (39) **Ricci, U., Gori, F., Sereni, A., Biondi, C., Giovannucci Uzielli, M.L.** (1998) Typing of three STRs loci (Hum CD4, Hum CSF1PO, Hum TPOX). Development of a multiplex PCR system for forensic samples and parentage testing and allele frequency distribution in Tuscany region (Italy). *Progr. Forensic Genet.* 7: 341-343
- (40) **Yoshida, K., Kasai, K., Sato, H., Brenner, C.H., Sensabaugh, G.F.** (1998) Genetic variation at 6 STR loci in the Japanese population. *Progr. Forensic Genet.* 7: 360-362
- (41) **Yamamoto, T., Uchihi, R., Nozawa, H., Huang, X.L., Leong, Y.K., Tanaka, M., Mizutani, M., Tamaki, K., Katsumata, Y.** (1998) Polymorphism analysis of nine STR loci in Japanese using multiplex PCR and capillary electrophoresis. *Progr. Forensic Genet.* 7: 390-391
- (42) **Cerri, N., Decarli, A., Zorzi, F., De Ferrari, F.** (1998) A statistical analysis by means linear model on Italian STRs population data. *Progr. Forensic Genet.* 7: 559-561
- (43) **Degenhartt, S., Leim, K., Clerici, S., Reichert, W., Mattern, R.** (1998) Studies on 7 autosomal and 5 Y-chromosomal STR loci in a South-West German population. *Progr. Forensic Genet.* 7: 527-530
- (44) **Aaspõllu, A., Sumeri, I., Kelve, M.** (2000) Allele distribution at nine STR loci - D3S1358, vWA, FGA, TH01, TPOX, CSF1PO, D5S818, D13S317 and D7S820 - in the Estonian population. *Progr. Forensic Genet.* 8: 129-131
- (45) **Cossutta, F., Perossa, R., Frassanito, F., Altamura, B.M., Fattorini, P.** (2000) Population genetics of fourteen STR loci in North-East Italy. *Progr. Forensic Genet.* 8: 178-180
- (46) **Frías, I., Torres, Y., Solá, D., Hernández, A., Prieto, V., Flores, I., Sanz, P.** (2000) Allele frequency distribution of seven STRs in a Canary Islands population (Spain). *Progr. Forensic Genet.* 8: 202-204
- (47) **Anjos, M.J., Carvalho, M., Andrade, L., Corte-Real, F., Vieira, D.N., Vide, M.C.** (2000) Allele frequencies of STR multiplex systems in two Portuguese population samples. *Progr. Forensic Genet.* 8: 208-211

- (48) **Hou, Y., Li, Y., Wu, J., Tang, J., Prinz, M.** (2000) Polymorphisms of 13 STR markers in Chinese population. *Progr. Forensic Genet.* 8: 242-244
- (49) **Kido, A., Susukida, R., Oya, M., Hara, M., Saito, K.** (2000) Determination of three STR loci, vWA, TPOX and F13A01, in aged seminal stains. *Progr. Forensic Genet.* 8: 545-547
- (50) **D'Aloja, F., Domenici, R., Alù, M., Asmundo, A., Caenazzo, L., Carnevali, E., Cerri, N., Cossu, G., Cucurachi, N., De Stefano, F., Di Nunno, C., Fattorini, P., Graziosi, G., Pascali, V.L., Pasqui, G., Pelotti, S., Piccinini, A., Previderè, C., Procaccianti, S., Ricci, U., Tagliabracci, A., Presciuttini, S.** (2000) Report on three further collaborative exercises on STR loci by the Italian Group of Forensic Hematology. *Progr. Forensic Genet.* 8: 622-624
- (51) **Gómez, M.V., Reyes, M.E., Mejía, D.F., Cárdenas, H.** (2000) Genetic variation at 9 STR loci in a southwestern Colombian population. *Progr. Forensic Genet.* 8: 251-253
- (52) **Sippel, H., Hedman, M., Sajantila, A.** (2000) DNA-database in the Finnish population using AmpF/STR profiler and AmpF/STR SGM Plus multiplex analysis by capillary electrophoresis. *Progr. Forensic Genet.* 8: 132-135
- (53) **Brdicka, R., Siegllová, Z., Loudová, M.** (2000) The short history of DNA analyses used for solving paternity cases and establishing external quality assessment in the Czech Republic. *Progr. Forensic Genet.* 8: 612
- (54) **Brenner, C.H.** (2000) Summary of polymorphic STR allele frequencies and Y chromosome haplotype frequencies. *Progr. Forensic Genet.* 8: 109-125
- (55) **Amar, A., Brautbar, C., Motro, U., Fisher, T., Bonne-Tamir, B., Israel, S.** (1999) Genetic variation of three tetrameric tandem repeats in four distinct Israeli ethnic groups. *J. Forensic Sci.* 44: 983-986
- (56) **Turowska, B., Sanak, M.** (2000) Frequency data on the loci vWA, FES/FPS, F13A01, TH01, TPOX and CSF1PO in a population from South Poland. *Int. J. Legal Med.* 113: 123-125
- (57) **Destro-Bisol, G., Maviglia, R., Caglià, A., Bosci, I., Spedini, G., Pascali, V., Clark, A., Tishkoff, S.** (1999) Estimating European admixture in African Americans by using microsatellites and a microsatellite haplotype (CD4/Alu). *Hum. Genet.* 104: 149-157
- (58) **Pu, C.-E., Wu, F.-C., Cheng, C.-L., Wu, K.-C., Chao, C.-H., Li, J.-M.** (1998) DNA short tandem repeat profiling of Chinese population in Taiwan determined by using an automated sequencer. *Forensic Sci. Int.* 97: 47-51
- (59) **Pu, C.-E., H. C.-M., Chen, M.-Y., Wu, F.-C., Sun, C.-F.** (1999) Genetic variation at nine STR loci in populations from the Philippines and Thailand living in Taiwan. *Forensic Sci. Int.* 106: 1-6
- (60) **Garofano, L., Pizzamiglio, M., Vecchio, C., Lago, G., Floris, T., D'Errico, G., Brembilla, G., Romano, A., Budowle, B.** (1998) Italian population data on thirteen short tandem repeat loci: HUMTH01, D21S11, D18S51, HUMVWFA31, HUMFIBRA, D8S1179, HUMTPOX, HUMCSF1PO, D16S539, D7S820, D13S317, D5S818, D3S1358. *Forensic Sci. Int.* 97: 53-60
- (61) **Kupferschmid, T.D., Calicchio, T., Budowle, B.** (1999) Maine Caucasian population DNA database using twelve short tandem repeat loci. *J. Forensic Sci.* 44: 392-295
- (62) **Yamamoto, T., Uchihi, R., Nozawa, H., Huang, X.-L., Leong, Y.-K., Tanaka, M., Mizutani, M., Tamaki, K., Katsumata, Y.** (1999) Allele distribution at nine STR loci - D3S1358, vWA, FGA, TH01, TPOX, CSF1PO, D5S818, D13S317 and D7S820 - in the Japanese population by multiplex PCR and Capillary electrophoresis. *J. Forensic Sci.* 44: 167-170
- (63) **Hantschel, M., Hausmann, R., Lederer, T., Martus, P., Betz, P.** (1999) Population genetics of nine short tandem repeat (STR) loci - DNA typing using AmpFISTR Profiler PCR amplification kit. *Int. J. Legal Med.* 112: 393-395
- (64) **Marco, P.N., Martínez-Jarreta, B., Martínez, E.A., Sanchis, A.P., Fonseca, R.H.** (1999) Allele frequency distribution of the STR loci HUMTPOX, HUMTH01 and HUMVWA in Asturias (North Spain). *J. Forensic Sci.* 44: 389-391
- (65) **Sinha, S., Amjad, M., Rogers, C., Hamby, J.E., Tahir, U.A., Balamurugan, K., Al-Kubaidan, N.A., Choudhry, A.R., Budowle, B., Tahir, M.A.** (1999) Typing of eight short tandem repeat (STR) loci in a Saudi Arabian population. *Forensic Sci. Int.* 104: 143-146
- (66) **Garofano, L., Lago, G., Vecchio, C., Pizzamiglio, M., Zanon, C., Virgili, A., Albonici, L., Manzari, V., Budowle, B.** (1998) Italian population data on the polymarker system and on the five short tandem repeat loci CSF1PO, TPOX, TH01, F13B, and vWA. *J. Forensic Sci.* 43: 837-840
- (67) **Pörtl, R., Luckenbach, C., Hixson, J., Ritter, H.** (1998) The short tandem repeat loci hTPO, TH01 and FGA. *Hum. Hered.* 48: 318-324
- (68) **Prata, M.J., Gusmão, L., Silva, F., Bessa, I., Amorim, A., Trovoada, M.J., Santos, M.T.** (1996) Population genetics on the STRs CD4, MBP (locus B), TH01, TP53, TPO and VWA31/A in S. Tomé e Príncipe. In: *Advances in research on DNA polymorphisms. Proceedings of ISFH Hakone Symposium on DNA polymorphisms.* Tokyo, Toyoshoten, 420-423



- (69) **De Pancorbo, M.M., Castro, A., Fernández-Fernández, I., García-Orad, A.** (1998) Population genetics and forensic applications using multiplex PCR (CSF1PO, TPOX, and TH01) loci in the Basque Country. *J. Forensic Sci.* 43: 1181-1187
- (70) **Zupanic, I., Balazic, J., Komel, R.** (1998) Analysis of nine short tandem repeat (STR) loci in the Slovenian population. *Int. J. Legal Med.* 111: 248-250
- (71) **Nata, M., Kimura, T., Hashiyada, M., He, P., Yan, W., Li, X., Funayama, M., Sagisaka, K.** (1999) Allele frequencies of eight STRs in Japanese and Chinese. *Int. J. Legal Med.* 112: 396-399
- (72) **Nagai, A., Yamada, S., Watanabe, Y., Bunai, Y., Ohya, I.** (1996) Analysis of the STR loci HUMF13A01, HUMFXIIB, HUMLIPOL, HUMTH01, HUMTPOX and HUMVWFA31 in a Japanese population. *Int. J. Legal Med.* 109: 34-36
- (73) **Martinez Jarreta, B., Diaz Roche, P., Abecia, E.** (1999) Genetic variation at six STR loci (HUMTH01, HUMTPOX, HUMCSF1PO, HUMF13A01, HUMFES/FPS, HUMVWA31) in Aragon (North Spain). *Forensic Sci. Int.* 100: 87-92
- (74) **Bosch, E., Clarimón, J., Pérez-Lezaun, A., Calafell, F.** (2001) STR data for 21 loci in northwestern Africa. *Forensic Sci. Int.* 116: 41-51
- (75) **Chantratita, W., Rerkamnuaychoke, B., Jomsawat, U., Thanakitgosate, J., Ruangvithayanon, T., Rojanasunan, P.** (2001) Thai population data on nine tetrameric STR loci - D3S1358, vWA, FGA, TH01, TPOX, CSF1PO, D5S818, D13S317 and D7S820. *Forensic Sci. Int.* 115: 113-115
- (76) **Destro-Bisol, G., Boschi, I., Caglià, A., Tofanelli, S., Pascali, V., Paoli, G., Spedini, G.** (2000) Microsatellite Variation in Central Africa: An analysis of intrapopulation and interpopulation genetic diversity. *American J. Phys. Anthropology* 112: 319-337
- (77) **Gusmão, L., Prata, M.J., Miranda, C., de Jesus Trovoadá, M., Amorim, A.** (2001) STR data from S. Tomé e Príncipe (Gulf of Guinea, West Africa) *Forensic Sci. Int.* 116: 53-54
- (78) **Halos, S.C., Chu, J.Y., Ferreon, A.C.M., Magno, M.M.F.** (1999) Philippine population database at nine microsatellite loci for forensic and paternity applications. *Forensic Sci. Int.* 101: 27-32
- (79) **Han, M.S., Kang, P.W., Choi, D.H., Lee, Y.H., Choi, S.K., Kim, W.** (2001) Genetic variation at eight STR loci in the Korean population. *Forensic Sci. Int.* 116: 35-36
- (80) **Huang, N. E., Schumm, J., Budowle, B.** (1995) Chinese population data on three tetrameric short tandem repeat loci - HUMTH01, TPOX, and CSF1PO - derived using multiplex PCR and manual typing. *Forens. Sci. Int.* 71: 131-136
- (81) **Law, M.Y., Wong, D.M., Fung, W.K., Chan, K.L., Li, C., Lun, T.S., Lai, K.M., Cheung, K.Y., Chiu, C.T.** (2000) Genetic polymorphism at three STR loci - CSF1PO, HUMTH01 and TPOX, and the AMP-FLP locus D1S80 for the Chinese population in Hong Kong. *Forensic Sci. Int.* 115: 103-105
- (82) **Martinović, I., Barac, L., Furac, I., Janicijević, B., Kubat, M., Pericic, M., Vidovic, B., Rudan, P.,** (1999) STR polymorphisms in the population of the Island of Hvar. *Hum. Biol.* 71: 341-352
- (83) **Maviglia, R., Dobosz, M., Boschi, I., Caglià, A., Hall, D., Capelli, C., d'Aloja, E., Pescarmona, M., Moschetti, A., Pascali, V.L., Destro-Bisol, G.** (2000) A repository of 14 PCR-loci Italian gene frequencies in the world wide web. *Forensic Sci. Int.* 115: 99-101
- (84) **Pérez-Lezaun, A., Calafell, F., Clarimón, J., Bosch, E., Mateu, E., Gusmão, L., Amorim, A., Benchemsi, N., Bertranpetit, J.** (2000) Allele frequencies of 13 short tandem repeats in population samples from the Iberian Peninsula and Northern Africa. *Int. J. Legal Med.* 113: 208-214
- (85) **Rahman, Z., Afroze, T., Weir, B.S.** (2001) DNA typing results from two urban subpopulations of Pakistan. *J. Forensic Sci.* 46(1): 111-115
- (86) **Touret, N., López Gamelo, J., Vidal-Rioja, L.** (1999) Allele frequencies of six STR loci in Argentine populations. *J. Forensic Sci.* 44(6): 1265-1269
- (87) **Wolanska-Nowak, P.** (2000) Application of subpopulation theory to evaluation of DNA evidence. *Forensic Sci. Int.* 113: 63-69
- (88) **Yunis, J.J., Garcia, O., Uriarte, I., Yunis, E.J.** (2001) Population data on D16S539, D13S317, LPL, F13B and D1S80 loci in a sample of Caucasian-Mestizos from Colombia. *Forensic Sci. Int.* 115: 117-118
- (89) **Ahmed, A., Linacre, A.M.T., Mohammed, A.A.A., Vanezis, P., Goodwin, W.** (2001) STR population data for 10 STR loci including the GenePrint™ PowerPlex™ 1.2 kit from El-Minia (Central Egypt). *Forensic Sci. Int.* 117: 233-234
- (90) **Yunis, J.J., Bacna, A., Garcia, O., Uriarte, I., Yunis, E.J.** (2001) Population data of F13A01, FES/FPS, VWA, CSF1PO, TPOX and TH01 short tandem repeat loci in a sample of African descent individuals of Colombia. *Forensic Sci. Int.* 117: 235-236

---

**Errata:****Misprints of the book (correct data in red)**

Population	Ref.	n	6	7	8	9	10	11	12	13	14
<b>USA</b> (Hispanics) (p. 138)	(10)	216	<b>0.0046</b>	<b>0.0023</b>	<b>0.4977</b>	<b>0.0903</b>	<b>0.0532</b>	<b>0.2477</b>	<b>0.1042</b>	<b>0.0000</b>	<b>0.0000</b>
Japan (Tokyo) (p. 139)	(12)	150	0.0000	0.0000	0.4864	0.0578	0.0306	<b>0.3606</b>	<b>0.0476</b>	0.0170	0.0000